


15-0237

Appendix B

DEFINITION "A"
Page 19 of 37

(NOT TO SCALE)




EXHIBIT "A"

TRACT 1
LARRY L. RINKENBERGER, TRUSTEE OF THE
LARRY L. RINKENBERGER TRUST
DOCUMENT NO. 2013R-01811
AND
TRACT 1
GWENDOLYN J. RINKENBERGER, TRUSTEE OF
THE GWENDOLYN J. RINKENBERGER TRUST
DOCUMENT NO. 2013R-01812
D.R.A.C.I.
ILRP_QM_AD_251

RUDIE K. SCHAPPAT AND
JOY S. SCHAPPAT,
HUSBAND AND WIFE
BOOK 706, PAGE 583
D.R.A.C.I.
ILRP_QM_AD_256

KEVIN K. BARRY AND
SHERRY A. BARRY,
HUSBAND AND WIFE
DOCUMENT NO. 2013R-05295
D.R.A.C.I.
ILRP_QM_AD_257

P.O.B.
NW COR SEC 16
GRID COORDINATES
N:1147879.55
E:2064636.57

PROPOSED 75'
WIDE EASEMENT
2.292 ACRES
(99,859 S.F.)

S89°43'56"E 1331.29'
P.O.R.—STONE MONUMENT FOUND
N 1/4 COR SEC 16

THE DARRYL R. NICKS
REVOCABLE LIVING TRUST AND
THE DEBBIE L. NICKS
REVOCABLE LIVING TRUST
BOOK 705, PAGE 2265
D.R.A.C.I.
ILRP_QM_AD_247

HAROLD L. FEARNEYHOUGH AND
CLAUDINE L. FEARNEYHOUGH,
HUSBAND AND WIFE
BOOK 494, PAGE 710
D.R.A.C.I.
ILRP_QM_AD_255


DAVID L. MOWEN AND
LOUANNE MOWEN,
HUSBAND AND WIFE
BOOK 517, PAGE 1071
D.R.A.C.I.
ILRP_QM_AD_258

LINE TABLE

NUMBER	BEARING	DISTANCE
L1	S89°43'56"E	1331.29'
L2	S00°24'25"W	75.00'
L3	N89°43'56"W	1331.01'
L4	N89°52'24"W	0.61'
L5	N00°39'38"E	75.00'

LEGEND

- D.R.A.C.I. DEED RECORDS
ADAMS COUNTY, ILLINOIS
- P.O.B. POINT OF BEGINNING
P.O.R. POINT OF REFERENCE
1" IRON PIPE FOUND WITH A CAP
CALCULATED POINT
- 2 1
11 12 TYPICAL SECTION CORNER
- SECTION LINE
SUBJECT PROPERTY LINE
PROPERTY LINE
PROPOSED EASEMENT CENTERLINE
PROPOSED EASEMENT



Michael W. Gerberick

MICHAEL W. GERBERICK
PROFESSIONAL LAND SURVEYOR
NO. 035-002683 - STATE OF ILLINOIS
PROFESSIONAL DESIGN FIRM
LICENSE NO. 184.006475 - STATE OF ILLINOIS

NOTES:

- THIS EXHIBIT DOES NOT REFLECT ANY UNDERGROUND UTILITIES, EASEMENT OF RECORD OR OTHER ENCUMBRANCES THAT MAY AFFECT THE SUBJECT TRACT.
- REFERENCE IS MADE TO THE DESCRIPTION OF EVEN DATE ACCOMPANYING THIS SKETCH.

SHEET 02 OF 02

PROJECT: ILLINOIS RIVERS
JOB NUMBER: 32359
DATE: 04/07/2014
SCALE: 1"=500'
TRACT ID: ILRP_QM_AD_255
DRAWN BY: JDD



150' TRANSMISSION
LINE EASEMENT
QUINCY TO MEREDOSIA
SECTION 16, TOWNSHIP 3 SOUTH, RANGE 5 WEST
OF THE 4TH PRINCIPAL MERIDIAN
ADAMS COUNTY, ILLINOIS

EXHIBIT "A"

A 3.199 ACRE TRACT OF LAND SITUATED IN NORTHWEST 1/4 OF SECTION 6, TOWNSHIP 17 NORTH, RANGE 12 WEST OF THE 3RD PRINCIPAL MERIDIAN, CASS COUNTY, ILLINOIS, AND BEING PART OF A TRACT OF LAND DESCRIBED AS TRACT II IN DEED TO JEFFERY D. WARDEN AND LISA KAY WARDEN, HUSBAND AND WIFE, RECORDED IN BOOK 171, PAGE 643 OF THE DEED RECORDS OF CASS COUNTY, ILLINOIS (D.R.C.C.I.) AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT THE NORTH COMMON CORNER OF SAID TRACT II AND A TRACT OF LAND DESCRIBED AS TRACT II(A) IN DEED TO AARON D. STOCK AND JANELLE A. STOCK, HIS WIFE, AND JONATHAN E. STOCK AND REBECCA L. STOCK, HIS WIFE, RECORDED IN BOOK 171, PAGES 421, 429, 439, 444, AND 434, D.R.C.C.I., FROM WHICH A 5/8-INCH IRON ROD WITH A CAP STAMPED "PAUL D NICKEL PLS# 2877" FOUND AT THE NORTHEAST CORNER OF SAID NORTHWEST 1/4 OF SAID SECTION 6 BEARS SOUTH 88 DEGREES 43 MINUTES 28 SECONDS EAST, A DISTANCE OF 268.85 FEET, SAID POINT OF BEGINNING HAVING GRID COORDINATES OF N:1200843.26, E:2204535.47;


THENCE SOUTH 01 DEGREES 13 MINUTES 08 SECONDS WEST, ALONG THE COMMON LINE OF SAID TRACT II AND SAID TRACT II(A), A DISTANCE OF 150.00 FEET TO A POINT FOR CORNER;

THENCE NORTH 88 DEGREES 43 MINUTES 28 SECONDS WEST, LEAVING SAID COMMON LINE, A DISTANCE OF 930.87 FEET TO A POINT FOR CORNER IN THE COMMON LINE OF SAID TRACT II AND A TRACT OF LAND DESCRIBED IN DEED TO AARON D. STOCK, JANELLE A. STOCK, JONATHAN E. STOCK AND REBECCA STOCK RECORDED IN BOOK 196, PAGE 587, D.R.C.C.I.;

THENCE NORTH 02 DEGREES 34 MINUTES 01 SECONDS EAST, ALONG THE COMMON LINE OF TRACT II AND SAID STOCK TRACT, A DISTANCE OF 150.04 FEET TO THE NORTH COMMON CORNER OF SAID TRACT II AND SAID STOCK TRACT, FROM WHICH A 60D NAIL WITH A PLASTIC WASHER STAMPED "SURVEY MARKER" FOUND AT THE NORTHWEST CORNER OF SAID SECTION 6 BEARS NORTH 88 DEGREES 43 MINUTES 28 SECONDS WEST, A DISTANCE OF 1,614.39 FEET;

THENCE SOUTH 88 DEGREES 43 MINUTES 28 SECONDS EAST, ALONG THE NORTH LINE OF SAID TRACT II, A DISTANCE OF 927.34 FEET TO THE **POINT OF BEGINNING** AND CONTAINING 139,365 SQUARE FEET OR 3.199 ACRES OF LAND, MORE OR LESS.



BEARING BASIS: ALL BEARINGS AND COORDINATES SHOWN HEREON ARE BASED ON THE ILLINOIS STATE PLANE COORDINATE SYSTEM, NAD 83(2011), WEST ZONE. ALL DISTANCES SHOWN HEREON ARE SURFACE DISTANCES.



MICHAEL W. GERBERICK
PROFESSIONAL LAND SURVEYOR
REGISTRATION NO. 035-002683
STATE OF ILLINOIS PROFESSIONAL
DESIGN FIRM LICENSE NO. 184.006475

DATE: 07/18/2014



**EXHIBIT "A"**

LINE TABLE		
NUMBER	BEARING	DISTANCE
L1	S88°43'28"E	268.85'
L2	S01°13'08"W	150.00'
L3	N88°43'28"W	930.87'
L4	N02°34'01"E	150.04'
L5	S88°43'28"E	927.34'

LEGEND

D.R.C.C.I.

DEED RECORDS
CASS COUNTY, ILLINOIS

P.O.B.

POINT OF BEGINNING

P.O.R.

POINT OF REFERENCE



60D NAIL WITH PLASTIC WASHER



5/8" IRON ROD WITH CAP FOUND



CALCULATED POINT

2	1
11	12

TYPICAL SECTION CORNER


SECTION LINE

SUBJECT PROPERTY LINE

PROPERTY LINE

PROPOSED EASEMENT CENTERLINE

PROPOSED EASEMENT



Michael W. Gerberick

MICHAEL W. GERBERICK
PROFESSIONAL LAND SURVEYOR
NO. 035-002683
PROFESSIONAL DESIGN FIRM
LICENSE NO. 184.006475 - STATE OF ILLINOIS

NOTES:

1. THIS EXHIBIT DOES NOT REFLECT ANY UNDERGROUND UTILITIES, EASEMENT OF RECORD OR OTHER ENCUMBRANCES THAT MAY AFFECT THE SUBJECT TRACT.
2. REFERENCE IS MADE TO THE DESCRIPTION OF EVEN DATE ACCOMPANYING THIS SKETCH.

SHEET 02 OF 02

PROJECT: ILLINOIS RIVERS
JOB NUMBER: 32359
DATE: 07/18/2014
SCALE: 1"=500'
TRACT ID: A_ILRP_MI_CA_044
DRAWN BY: TJC



**150' TRANSMISSION
LINE EASEMENT**
MEREDOSIA TO IPAVA
SECTION 6, TOWNSHIP 17 NORTH, RANGE 12 WEST
OF THE 3RD PRINCIPAL MERIDIAN
CASS COUNTY, ILLINOIS

EXHIBIT "A"

A 0.130 ACRE TRACT OF LAND SITUATED IN THE SOUTHWEST 1/4 OF THE NORTHWEST 1/4 OF SECTION 21, TOWNSHIP 2 NORTH, RANGE 1 EAST OF THE 4TH PRINCIPAL MERIDIAN, SCHUYLER COUNTY, ILLINOIS AND BEING PART OF A TRACT OF LAND DESCRIBED IN DEED TO JON R. HARRIS RECORDED IN DOCUMENT NO. 20101483 OF THE DEED RECORDS OF SCHUYLER COUNTY, ILLINOIS (D.R.S.C.I.) AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT IN THE SOUTH LINE OF SAID SOUTHWEST 1/4, FROM WHICH A NAIL WITH A WASHER FOUND AT THE WEST 1/4 CORNER OF SAID SECTION 21 BEARS SOUTH 80 DEGREES 33 MINUTES 26 SECONDS WEST, A DISTANCE OF 744.33 FEET, SAID POINT OF BEGINNING HAVING GRID COORDINATES OF N:1263770.14 E:2228078.55;

THENCE NORTH 19 DEGREES 52 MINUTES 05 SECONDS EAST, LEAVING SAID SOUTH LINE, A DISTANCE OF 37.85 FEET TO A POINT FOR CORNER IN THE COMMON LINE OF SAID HARRIS TRACT AND A TRACT OF LAND DESCRIBED IN DEED TO PERRY FARMS, LLC, RECORDED IN DOCUMENT NO. 20101482, D.R.S.C.I.;


THENCE NORTH 80 DEGREES 33 MINUTES 26 SECONDS EAST, ALONG SAID COMMON LINE, A DISTANCE OF 172.02 FEET TO A POINT FOR CORNER, FROM WHICH A 5/8-INCH IRON ROD FOUND AT THE SOUTHEAST CORNER OF SAID NORTHWEST 1/4 BEARS NORTH 81 DEGREES 43 MINUTES 35 SECONDS EAST, A DISTANCE OF 1,617.55 FEET;

THENCE SOUTH 19 DEGREES 52 MINUTES 05 SECONDS WEST, LEAVING SAID COMMON LINE, A DISTANCE OF 37.85 FEET TO A POINT FOR CORNER IN SAID SOUTH LINE;

THENCE SOUTH 80 DEGREES 33 MINUTES 26 SECONDS WEST, ALONG SAID SOUTH LINE, A DISTANCE OF 172.02 FEET TO THE **POINT OF BEGINNING** AND CONTAINING 5,678 SQUARE FEET OR 0.130 AN ACRE OF LAND, MORE OR LESS.

BEARING BASIS: ALL BEARINGS AND COORDINATES SHOWN HEREON ARE BASED ON THE ILLINOIS STATE PLANE COORDINATE SYSTEM, NAD 83(2011), WEST ZONE. ALL DISTANCES SHOWN HEREON ARE SURFACE DISTANCES.

PIN: 09-21-300-004



MICHAEL W. GERBERICK
PROFESSIONAL LAND SURVEYOR
REGISTRATION NO. 035-002683
STATE OF ILLINOIS PROFESSIONAL
DESIGN FIRM LICENSE NO. 184.006475

DATE: 06/20/2014








EXHIBIT "A"



LINE TABLE		
NUMBER	BEARING	DISTANCE
L1	N19°52'05\"E	37.85'
L2	N80°33'26\"E	172.02'
L3	S19°52'05\"W	37.85'
L4	S80°33'26\"W	172.02'

LEGEND

D.R.S.C.I.	DEED RECORDS
P.O.B.	SCHUYLER COUNTY, ILLINOIS
P.O.R.	POINT OF BEGINNING
	POINT OF REFERENCE
	NAIL WITH WASHER FOUND
	CALCULATED POINT
	SECTION LINE
	SUBJECT PROPERTY LINE
	PROPERTY LINE
	PROPOSED EASEMENT CENTERLINE
	PROPOSED EASEMENT



Michael W. Gerberick

MICHAEL W. GERBERICK
PROFESSIONAL LAND SURVEYOR
NO. 035-002683 - STATE OF ILLINOIS
PROFESSIONAL DESIGN FIRM
LICENSE NO. 184.006475 - STATE OF ILLINOIS

NOTES:

1. THIS EXHIBIT DOES NOT REFLECT ANY UNDERGROUND UTILITIES, EASEMENT OF RECORD OR OTHER ENCUMBRANCES THAT MAY AFFECT THE SUBJECT TRACT.
2. REFERENCE IS MADE TO THE DESCRIPTION OF EVEN DATE ACCOMPANYING THIS SKETCH.

SHEET 02 OF 02

PROJECT: ILLINOIS RIVERS
JOB NUMBER: 32359
DATE: 06/20/2014
SCALE: 1" = 200'
TRACT ID: A_ILRP_MI_SC_115
DRAWN BY: JSW



150' TRANSMISSION
LINE EASEMENT
MEREDOSIA TO IPAVA
SECTION 21, TOWNSHIP 2 NORTH, RANGE 1 EAST
OF THE 4TH PRINCIPAL MERIDIAN
SCHUYLER COUNTY, ILLINOIS

EXHIBIT "A"

A 6.033 ACRE TRACT OF LAND SITUATED IN THE NORTHEAST 1/4 OF SECTION 9, TOWNSHIP 2 NORTH, RANGE 1 EAST OF THE 4TH PRINCIPAL MERIDIAN, SCHUYLER COUNTY, ILLINOIS AND BEING PART OF A TRACT OF LAND DESCRIBED AS PARCEL 11 IN DEED TO STAMBAUGH FAMILY FARMS LLC, RECORDED IN DOCUMENT NO. 20100253 OF THE DEED RECORDS OF SCHUYLER COUNTY, ILLINOIS (D.R.S.C.I.) AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT IN THE EAST LINE OF SAID NORTHEAST 1/4, FROM WHICH A STONE MONUMENT FOUND AT THE NORTH 1/4 CORNER OF SAID SECTION 9 BEARS NORTH 75 DEGREES 30 MINUTES 21 SECONDS WEST, A DISTANCE OF 2,688.86 FEET, SAID POINT OF BEGINNING HAVING GRID COORDINATES OF N:1276649.63, E:2232666.36;

THENCE SOUTH 01 DEGREES 36 MINUTES 47 SECONDS WEST, ALONG SAID EAST LINE, A DISTANCE OF 677.12 FEET TO A POINT FOR CORNER;

THENCE SOUTH 19 DEGREES 55 MINUTES 23 SECONDS WEST, LEAVING SAID EAST LINE, A DISTANCE OF 1,425.04 FEET TO A POINT FOR CORNER IN THE COMMON LINE OF SAID PARCEL 11 AND A TRACT OF LAND DESCRIBED IN DEED TO RICHARD L. WILKINSON AND (ALMA) JANELL WILKINSON, TRUSTEES OF THE DECLARATION OF TRUST OF RICHARD L. WILKINSON AND (ALMA) JANELL WILKINSON DATED OCTOBER 11, 2011, RECORDED IN DOCUMENT NO. 20111270, D.R.S.C.I., FROM WHICH A 5/8-INCH IRON ROD WITH A CAP STAMPED "CLONINGER PLS 2524" FOUND AT THE SOUTHEAST CORNER OF SAID SECTION 9 BEARS SOUTH 08 DEGREES 47 MINUTES 55 SECONDS EAST, A DISTANCE OF 2,695.80 FEET;

THENCE NORTH 88 DEGREES 45 MINUTES 56 SECONDS WEST, ALONG SAID COMMON LINE, A DISTANCE OF 158.29 FEET TO A POINT FOR CORNER;


THENCE NORTH 19 DEGREES 51 MINUTES 15 SECONDS EAST, LEAVING SAID COMMON LINE, A DISTANCE OF 42.96 FEET TO A POINT FOR CORNER;

THENCE NORTH 19 DEGREES 55 MINUTES 23 SECONDS EAST, A DISTANCE OF 1,527.97 FEET TO A POINT FOR CORNER;

THENCE NORTH 13 DEGREES 23 MINUTES 23 SECONDS EAST, A DISTANCE OF 551.25 FEET TO THE **POINT OF BEGINNING** AND CONTAINING 262,788 SQUARE FEET OR 6.033 ACRES OF LAND, MORE OR LESS.

BEARING BASIS: ALL BEARINGS AND COORDINATES SHOWN HEREON ARE BASED ON THE ILLINOIS STATE PLANE COORDINATE SYSTEM, NAD 83(2011), WEST ZONE. ALL DISTANCES SHOWN HEREON ARE SURFACE DISTANCES.

PIN: 09-09-200-002



MICHAEL W. GERBERICK
PROFESSIONAL LAND SURVEYOR
REGISTRATION NO. 035-002683
STATE OF ILLINOIS PROFESSIONAL
DESIGN FIRM LICENSE NO. 184.006475

DATE: 09/30/2014







EXHIBIT "A"



PARCEL 11
STAMBAUGH FAMILY FARMS LLC
DOCUMENT NO. 20100253
D.R.S.C.I.
A_ILRP_MI_SC_130

PROPOSED VARIABLE
WIDTH EASEMENT
6.033 ACRES
(262,788 S.F.)

SECTION 9
TOWNSHIP 2N
RANGE 1E

RICHARD L. WILKINSON AND
(ALMA) JANELL WILKINSON,
TRUSTEES OF THE
DECLARATION OF TRUST OF
RICHARD L. WILKINSON AND
(ALMA) JANELL WILKINSON
DATED OCTOBER 11, 2011
DOCUMENT NO. 20111270
D.R.S.C.I.
A_ILRP_MI_SC_130-1

SEE DETAIL "A"

BURTON FARMS, INC.
BOOK 39 PAGE 11
D.R.S.C.I.
A_ILRP_MI_SC_129

KINDERHOOK ROAD
SECTION LINE
N75°30'21"W 2688.86'
P.O.R-STONE MONUMENT
FOUND
N 1/4 COR SEC 9

P.O.B. GRID
COORDINATES
N:1276649.63
E:2232666.36

TRACT IV
RONALD W. TRONE,
a/k/a RONALD TRONE
DOCUMENT NO. 274311
BOOK 179, PAGE 453
D.R.S.C.I.
AND
TRACT IV
EDWARD M. TRONE
BOOK 205, PAGE 253
D.R.S.C.I.
AND
TRACT III
EDWARD M. TRONE
CAUSE NO. 74-P-32
C.R.S.C.I.
A_ILRP_MI_SC_131


LINE TABLE		
NUMBER	BEARING	DISTANCE
L1	S01°36'47"W	677.12'
L2	S19°55'23"W	1425.04'
L3	N88°45'56"W	158.29'
L4	N19°51'15"E	42.96'
L5	N19°55'23"E	1527.97'
L6	N13°23'23"E	551.25'

LEGEND

C.R.S.C.I. COURT RECORDS
SCHUYLER COUNTY, ILLINOIS
D.R.S.C.I. DEED RECORDS
SCHUYLER COUNTY, ILLINOIS
P.O.B. POINT OF BEGINNING
P.O.R. POINT OF REFERENCE
△ CALCULATED POINT

2 1
11 12 TYPICAL SECTION CORNER

SECTION LINE
SUBJECT PROPERTY LINE
PROPERTY LINE
PROPOSED EASEMENT CENTERLINE
PROPOSED EASEMENT



Michael W. Gerberick

MICHAEL W. GERBERICK
PROFESSIONAL LAND SURVEYOR
NO. 035-002683 - STATE OF ILLINOIS
PROFESSIONAL DESIGN FIRM
LICENSE NO. 184.006475 - STATE OF ILLINOIS

NOTES:

1. THIS EXHIBIT DOES NOT REFLECT ANY UNDERGROUND UTILITIES, EASEMENT OF RECORD OR OTHER ENCUMBRANCES THAT MAY AFFECT THE SUBJECT TRACT.
2. REFERENCE IS MADE TO THE DESCRIPTION OF EVEN DATE ACCOMPANYING THIS SKETCH.

SHEET 02 OF 02

PROJECT: ILLINOIS RIVERS
JOB NUMBER: 32359
DATE: 09/30/2014
SCALE: 1" = 500'
TRACT ID: A_ILRP_MI_SC_130
DRAWN BY: NAS



150' TRANSMISSION
LINE EASEMENT
MEREDOSIA TO IPAVA
SECTION 9, TOWNSHIP 2 NORTH, RANGE 1 EAST
OF THE 4TH PRINCIPAL MERIDIAN
SCHUYLER COUNTY, ILLINOIS

EXHIBIT "A"

A 4.736 ACRE TRACT OF LAND SITUATED IN THE WEST 1/2 OF THE NORTHWEST 1/4 OF SECTION 25, TOWNSHIP 12 NORTH, RANGE 1 EAST OF THE 3RD PRINCIPAL MERIDIAN, CHRISTIAN COUNTY, ILLINOIS AND BEING PART OF A TRACT OF LAND DESCRIBED IN LAST WILL AND TESTAMENT TO MICHAEL L. SWINEY, RECORDED IN CAUSE NO. 87-P-30 OF THE COURT RECORDS OF CHRISTIAN COUNTY, ILLINOIS AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT IN THE SOUTHEAST RIGHT-OF-WAY LINE OF U.S. HIGHWAY 51 (VARIABLE WIDTH RIGHT-OF-WAY), FROM WHICH A PK NAIL FOUND AT THE NORTHEAST CORNER OF SAID NORTHWEST 1/4 BEARS NORTH 86 DEGREES 12 MINUTES 52 SECONDS EAST, A DISTANCE OF 2,392.93 FEET, SAID POINT OF BEGINNING HAVING GRID COORDINATES OF N:1019463.11, E:783780.26;

THENCE SOUTH 01 DEGREES 40 MINUTES 13 SECONDS WEST, LEAVING SAID SOUTHEAST RIGHT-OF-WAY LINE, A DISTANCE OF 73.00 FEET TO A POINT FOR CORNER;

THENCE SOUTH 00 DEGREES 43 MINUTES 18 SECONDS EAST, A DISTANCE OF 818.14 FEET TO A POINT FOR CORNER;

THENCE SOUTH 01 DEGREES 57 MINUTES 26 SECONDS WEST, A DISTANCE OF 948.41 FEET TO A POINT FOR CORNER;

THENCE SOUTH 04 DEGREES 36 MINUTES 12 SECONDS WEST, A DISTANCE OF 624.30 FEET TO A POINT FOR CORNER IN THE SOUTH LINE OF SAID WEST 1/2, FROM WHICH A 1/2-INCH IRON ROD WITH A YELLOW CAP STAMPED "IDOT DISTRICT #6" FOUND AT THE EAST 1/4 CORNER OF SAID SECTION 25 BEARS SOUTH 88 DEGREES 57 MINUTES 27 SECONDS EAST, A DISTANCE OF 5,045.50 FEET;

THENCE NORTH 88 DEGREES 57 MINUTES 27 SECONDS WEST, ALONG SAID SOUTH LINE, A DISTANCE OF 75.58 FEET TO A POINT FOR CORNER AT THE INTERSECTION OF SAID SOUTH LINE AND SAID SOUTHEAST RIGHT-OF-WAY LINE;

THENCE NORTHERLY, ALONG SAID SOUTHEAST RIGHT-OF-WAY LINE, THE FOLLOWING SIX (6) COURSES AND DISTANCES:

NORTH 04 DEGREES 07 MINUTES 19 SECONDS EAST, A DISTANCE OF 1,345.79 FEET TO A POINT FOR CORNER;

NORTH 87 DEGREES 55 MINUTES 20 SECONDS WEST, A DISTANCE OF 62.01 FEET TO A POINT FOR CORNER;

NORTH 04 DEGREES 07 MINUTES 22 SECONDS EAST, A DISTANCE OF 56.34 FEET TO A POINT FOR CORNER;

NORTH 02 DEGREES 04 MINUTES 40 SECONDS EAST, A DISTANCE OF 493.70 FEET TO A POINT FOR CORNER;

NORTH 01 DEGREES 01 MINUTES 00 SECONDS EAST, A DISTANCE OF 539.85 FEET TO A POINT FOR CORNER;

NORTH 72 DEGREES 46 MINUTES 40 SECONDS EAST, A DISTANCE OF 87.52 FEET TO THE **POINT OF BEGINNING** AND CONTAINING 206,287 SQUARE FEET OR 4.736 ACRES OF LAND, MORE OR LESS.

AMEREN TRANSMISSION
ILLINOIS RIVERS PROJECT
PANA TO MT. ZION
345 KV TRANSMISSION LINE

15-0237

Appendix B

Page 27 of 37


A_ILRP_PZ_CH_122

SAM Job No. 32359

Page 2 of 4

EXHIBIT "A"

BEARING BASIS: ALL BEARINGS AND COORDINATES SHOWN HEREON ARE BASED ON THE ILLINOIS STATE PLANE COORDINATE SYSTEM, NAD 83(2011), EAST ZONE. ALL DISTANCES SHOWN HEREON ARE SURFACE DISTANCES.



MICHAEL W. GERBERICK
PROFESSIONAL LAND SURVEYOR
REGISTRATION NO. 035-002683
STATE OF ILLINOIS PROFESSIONAL
DESIGN FIRM LICENSE NO. 184.006475

DATE: 10/15/2014

